(o) That for any breach of any of the conditions of the contract by the contractor or his agents, the contract shall be void at the option of the District Forest Officer and that the latter may, after issuing to the contractor a notice of the cancellation of contract, enforce forfeiture of all or any part of the deposit and shall resell the right or work it departmentally at the risk of the contractor as in clause (2) *supra*. If the deposit or part thereof is so forfeited, it shall be immediately made good by the contractor.

M. A. MUTHANNA,
District Forest Officer.

ENGINEERING DEPARTMENT

BANGALORE DIVISION.

Abstract Notification dated 2nd December 1937.

The attention of the public is hereby invited to the detailed notification inviting sealed tenders for restoring Alappanahalli Minor Tank, Registered No. 166 of Hoskote Taluk, published on pages 2058-2059 of Part VI of the *Mysore Gazette*, dated 9th December 1937.

The last date for the receipt of tenders is 2 P.M. on 20th December 1937, and the earnest money to accompany the tender is Rs. 330.

D. A. HUKERI,
Executive Engineer.

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 27th November 1937.

The attention of the public is hereby invited to the detailed notification, calling for tenders for the construction of two blocks of quarters of 26 Units in each block for City Police in the compound of Old Police Lines near "A" Station, Bangalore, published in pages 2015-2016, Part VI of the *Mysore Gazette*, dated 2nd December 1937.

The last date for the receipt of the tender is 20th December 1937.

Abstract Notification dated 29th November 1937.

The attention of the public is hereby invited to the detailed notification, calling for tenders for extending the second floor of the State Life Insurance Office Building at Bangalore, published in pages 2044-2046, Part VI of the *Mysore Gazette*, dated 2nd December 1937.

The last date for the receipt of the tender is 17th December 1937.

Notification dated 11th December 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, Bangalore, up to 25th December 1937, up to 2-30 P.M., for dismantling the existing compound wall on the Northern side of Lal-Bagh and re-building the same at the right edge of Bangalore-Hosur Road now being re-aligned. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 180 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for dismantling the existing compound wall on the Northern side of Lal-Bagh and re-building the same at the right edge of Bangalore-Hosur Road now being re-aligned" in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for dismantling the existing compound wall at the Northern side of Lal-Bagh and re-building the same at the right edge of the Bangalore-Hosur Road, now being re-aligned.

No.	Items of work	Unit	Dimension	Contents
1	Dismantling brick in mud compound wall and clearing debris	C.ft.	0 0 4	5,910
2	Dismantling stone in mud basement and foundation	,,	0 0 5	9,053
3	Constructing compound wall, all with old materials, coping, with new bricks, lime mortar plastering and colour washing, etc.	R.ft.	1 4 6	610
4	Do with old stones and new bricks for wall and coping complete	,,	1 11 6	1,116
5	Shifting gates near Superintendent's quarters including re-constructing the same	L. S. Rupees		76

Notification dated 11th December 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 25th December 1937, up to 2-30 P.M. for constructing a Foundry Section in the Government Electric Factory, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tender should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 600 in cash or Government Promissory Notes as earnest money, and be superscribed, "Tender for constructing Foundry Section in the Government Electric Factory, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for constructing a foundry section in the Government Electric Factory, Bangalore.

No.	Description of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
1	Earthwork excavation for foundation with consolidation	C.yd.	0 3 6	278	
2	Stone jelly concrete in lime mortar	C.ft.	0 3 6	2,151	
3	Size stone in lime mortar with bond slabs for pillars	"	0 4 6	2,288	
4	Size stone in lime mortar with bond slabs 6' apart	"	0 4 6	1,064	
5	Constructing size stone pillars in lime mortar using bond slabs 3' apart with cement pointing and quoin dressing	"	0 8 0	2,304	
6	Burnt stone slabs 5" to 6" one line dressed and fixed in lime mortar	S.ft.	0 4 6	2,155	
7	Providing trusses and fixing with bolts and nuts including painting	Cwt.	15 0 0	88	
8	Teak wood wrought and put up	C.ft.	5 0 0	271	
9	Burnt brick in mortar retaining wall	"	0 4 0	1,206	
10	Providing expanded metal doors with frame $3\frac{1}{2}" \times 4\frac{1}{2}"$ bottom 4' panelled shutters with hinges, bolts and painting, etc., complete	S.ft.	1 0 0	320	
11	Providing expanded metal window frame 3"×4" as per specifications including fixing painting etc., complete	"	0 10 0	4,188	
12	Providing asbestos sheet roofing with bolts, etc., complete as per specification	Sqr.	35 0 0	60.45	
13	Fixing asbestos sheet ridge with bolts and nuts, etc., as per specification	R.ft.	1 4 0	155	
14	Cement pointing to basement	Sqr.	3 0 0	9.94	
15	Plastering with lime mortar	"	3 0	26.77	
16	Clearing site and levelling ground	L. S.			
17	Providing steps before doors and flooring	"			

B. R. GARUDACHAR,
Executive Engineer.

WATER SUPPLY DIVISION, BANGALORE.

Tender Notification dated 11th December 1937.

1. Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Water Supply Division, up to 4 P.M., on Monday the 5th January 1938, for carting work as follows for the period from 15th January 1938 to 31st December 1938.

2. Unloading from Railway Waggon, Bangalore City or any other place and loading up of articles to carts or lorries, carting and delivering at the site and stacking as per instructions. Rate per mile to be given under the following classification. Under two heads separately (1) for distances less than five miles (such as carting within Municipal limits of Bangalore City and Civil anp Military Station) and (2) for distances of more than five miles (such as carting to Thippagondanhalli and Soldevanhalli)—

	Less than five miles	*More than five miles.*
(*a*) Hardware articles in the aggregate weighing more than 10 cwts. per consignment. (Rate per cwt. per mile)		
(*b*) Hardware articles in the aggregate weighing 10 cwts. and less per consignment. (Rate per cwt. per mile)		
(*c*) Articles other than hardware in the aggregate weighing 2 cwts. and less per consignment. (Rate per cwt. per mile)		
(*d*) Articles other than hardware in the aggregate weighing in excess of 2 cwts. per consignment. (Rate per cwt. per mile)		
(*e*) Heavy machinery each weighing ½ ton or more. (Rate per cwt. per mile)		
(*f*) To carry articles of small weight of any description on urgent occasions. (Rate per mile per single bullock cart)		

N.B.—(1) Hardware articles shall include heavy units like small machinery, lime and sulphate of alumina bags, chlorine cylinders and oil casks and other heavy articles.

(2) Articles other than hardware shall include those that occupy more space but are not so heavy as hardware articles in consideration of the space occupied like cotton waste, furniture, baskets and other light articles.

(3) Tender presented after the due time will not be considered.

(4) Each tender should be superscribed "Tender for carting articles to be opened on 5th January 1938."

(5) The consignment is to be cleared immediately after it is passed by the authorities concerned.

(6) The articles should be delivered in the same condition in which they were taken for carting. The contractor shall be held responsible for all damages during transit.

(7) The final acceptance of the tender will rest with the Executive Engineer, Water Supply Division, who does not bind himself to accept the lowest or any tender or to assign any reason whatsoever for the rejection of any tender.

(8) The name of the successful competitor whose tender has been accepted will be put on the Office Notice Board in the usual course.

(9) The contractor will be held responsible if any demurrage is to be paid owing to the delay in taking delivery and carting the articles in time.

(10) This contract will be applicable to the carting work to be done for Executive Engineer's Office, Water Supply Division Office of the Range Officer, Chamaraj Sagar and Water Works, Bangalore, and Office of the Superintendent, Maintenance Sub-Division, Thippagondanhalli, which is 22 miles away from Bangalore.

(11) The distance from City Railway Station to office stores is one mile; from old stores near Krishnarajendra Circle to the office is one mile; and from office stores to Combined Jewell Filters, Malleswaram, is 2½ miles. All claims shall be based on the above distances except where not given, when actual distances will be allowed.

(12) The Government Lorry will be used or other arrangements made whenever the contractor does not immediately respond to requests of the department and during occasions of emergency when it is not convenient to give timely notice to contractor.

(13) For claims on carting works, weights less than ¼ cwt. will be omitted and weights over ¼ cwt. will be taken as ½ cwt. Distances less than ¼ mile will be omitted and more than ¼ mile will be taken as ½ mile.

(14) An earnest money of Rs. 100 is to be deposited along with the tender which will be retained with the department in the case of the successful tenderer as a Security Deposit, the earnest money of the rest being refunded after the tender is disposed of. In the case of the carting contractor failing to fulfil the terms of the contract in any respect, the contract will be cancelled and the earnest money forfeited to Government.

(15) The successful contractor will deposit a further sum of Rs. 300 as Security Deposit in addition to the sum of Rs. 100 already paid.

V. GANESH IYER,
Executive Engineer.

OFFICE OF THE SUPERINTENDING ENGINEER, IRRIGATION CIRCLE, KRISHNARAJ SAGAR WORKS.

Notification dated the 25th November 1937.

Applications are invited from passed candidates of the Civil Engineering School, Bangalore, for an appointment as a Work Inspector on Rs. 25 per mensem, for the subordinate supervision of the Cauvery Branch Works (Irwin Canal).

2. The appointment is purely temporary and terminable without notice.

3. The applications should be in the form prescribed by the Central Recruitment Board, and should reach the undersigned on or before 20th December 1937.

4. The appointment is reserved for candidates belonging to the backward communities only.

N. SARABHOJA,
Superintending Engineer.

SHIMOGA DIVISION.

Notification dated 6—8th December 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Shimoga Division, up to 8th January 1938 for constructing an Anicut at Harakere Woddu near Harakere village, Shimoga Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Shimoga, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 260 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing an Anicut at Harakere Woddu near Harakere village, Shimoga Taluk," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. The successful tenderer will have to deposit another sum of Rs. 260 towards the Security Deposit before the execution of the Contract Agreement.

Abstract estimate for constructing an Anicut at Harakere Woddur near Harakere Village, Shimoga Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	I. ANICUT.		Rs. a. p.		Rs.
1	Jungle clearing, cutting trees, clearing site at right and left wings in front of ane and on the rough stone apron	L. S.	..	..	
2	Excavating and removing the rough stone apron for exposing the foundations of the Anicut body wall 44·42 a v.—40·25=4·17 ..	C.yd.	0 8 0	56	
3	Excavating for foundations in clayey soil ..	,,	0 4 0	193	
4	Stone jelly concrete in cement mortar 1 : 5 : 10	C.ft.	0 8 0	1,326	
5	Size stone in cement mortar 1 : 6 with bond stones, etc., complete	..	0 8 0	2,893	
6	Cement concrete coping slab 1 : 3 : 6, 4" thick with plastering on top of body wall and wings.	S.ft.	0 5 0	360	
7	Cement pointing ane wall	Sqr.	4 8 0	17.07	
8	Removing and resetting the old stone apron behind body wall with new jelly	C.yd.	1 4 0	292	
9	Rough stone work, new for apron at toe ..	C.yd.	2 8 0	22	
10	Rough stone work old with new jelly ..	,,	0 12 0	28	
	II. END CURTAIN WALLS AND TOE WALL FOR APRON AT REAR.				
1	Excavating for foundation	C.yd.	0 4 0	63	
2	Stone jelly concrete in cement mortar 1 : 5 : 10	C.ft.	0 8 0	570	
3	Size stone in cement mortar 1 : 6	,,	0 8 0	760	
4	Cement concrete coping 1 : 3 : 6 wings and toe walls	S.ft.	0 5 0	456	

No.	Description of work	Unit	Rate	Quantity	Cost
	III. HEAD SLUICE CILL R. L. 42·50.		Rs. a. p.		Rs. a. p.
1	Excavation for foundations	C.yd.	0 4 0	58	
2	Stone jelly concrete in cement mortar 1 : 5 : 10	C.ft.	0 8 0	350	
3	Size stone in cement mortar 1 : 6 with bond slabs	C.ft.	0 8 0	1,090	
4	Cement concrete coping 1 : 3 : 6	S.ft.	0 5 0	40	
5	Cement pointing main head wall	Sqr.	4 8 0	4·44	
6	Burnt stone slabs 6″ thick dressed and fixed ..	S.ft.	0 12 0	53	
7	Cutting vertical groove at insides of counterfort and at top of covering slab and floor slab for housing sluice shutter	R.ft.	0 12 0	23	
8	Providing and fixing one steel shutter $3\frac{1}{2}' \times 2\frac{1}{2}'$ made 1″ steel plate and angle irons $2\frac{1}{2}'' \times 2\frac{1}{2}'' \times \frac{1}{4}''$ and providing with gearrod, capstan and locking	L. S.			
9	R. C. covering arrangements slab 6″ thick over counterforts with bed, bolts, etc.	S.ft.	1 4 0	14	
	IV FLOOD BANK AT RIGHT FLANK.				
1	Earthwork farming embankment with watering and consolidation, etc., complete	C.yd.	0 5 0	480	
2	New stone revetment for front slope ..	C.yd.	2 8 0	76	
3	Turfing rear slope and top	Sqr.	0 10 0	17·00	

P. SUBBA RAO,
Executive Engineer.

KADUR DIVISION.

Abstract Notification dated 25th November 1937.

The attention of the public is invited to the notification in pages 2019-2020, Part VI of the *Mysore Gazette*, dated 2nd December 1937, calling for tenders for constructing an Aqueduct (R.C.C. decking) across Nimbehole in 3/5 of Rayakalve of Madag Tank, Kadur Taluk.

The last date of receipt of tenders in this office is 20th December 1937.

C. R. IYENGAR,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE SUPERINTENDENT, MYSORE SERUM INSTITUTE, HEBBAL, BANGALORE.

Notification dated 2nd December 1937.

It is hereby notified that in accordance with Government Order No. D. 3631-32—C. V. 25-37-2, dated 12—13th November 1937, the undermentioned biological products manufactured in this Institute will be supplied, with effect from 1st January 1938, at the rates and in quantities noted against them :—

		Rate.	*Minimum quantity.*
1.	Anti Fowl Cholera Serum	*Re. 0-2-0 per dose of 5 c.c.	50 c.c.
2.	Fowl Cholera Vaccine	*Re. 0-0-6 per dose of 1 c.c.	50 c.c.

* These rates include cost of packing and bottles.

S. D. ACHAR,
Superintendent.